

# Evaluative Questions to Measure Implementation and Impact on Outcomes

Type of Indicator	Evaluative Question	Potential Indicator(s)
<b>Process Indicators</b>	<i>Is the RCA's 'Priority Process' being used to support the target population to access bedded levels of rehabilitative care?</i>	<ul style="list-style-type: none"> <li>• Proportion of direct admissions from community/ED to rehabilitative care beds</li> <li>• Average wait time for admission to rehabilitative care bed from ED/community</li> <li>• % of Acute ALC Designations to CCC &amp; In-Patient Rehab within 2 Days of Admission to Acute Care (Acute Care Avoidance)*</li> <li>• Number of patients admitted to a bedded level of rehabilitative care from the community who are transferred to ED/Acute within 5 days of admission.</li> </ul>
<b>Outcome Indicators</b>	<i>Do patients who are directly admitted to bedded levels of rehabilitative care from the community have positive outcomes?</i>	<ul style="list-style-type: none"> <li>• % of patients directly admitted from the community that are discharged to home/baseline living environment*</li> <li>• Rate of acute care admissions within 30 days following discharge from a rehabilitative care bed (for patients directly admitted from the community/ED)</li> <li>• % of patients admitted into LTC within one-year following discharge from a bedded level of rehabilitative care (LTCH Admission Avoidance)*</li> </ul>

\* Consistent with an Existing Indicator Within RCA Evaluation Framework

# Compendium of Standardized Assessment & Interventions of Geriatric Syndromes for Rehabilitative Care Professionals



A summary of existing standardized tools, best- and leading clinical practices to support the assessment and treatment of each of the geriatric syndromes

Specifically for use by rehabilitative care providers to bridge the knowledge to practice gap and to enhance capability within the system to manage frailty/geriatric syndromes

Summarizes rehabilitative care-specific recommendations and best practices from industry-leading gold standard and enabling initiatives (e.g. Senior Friendly Hospital, RGP, RNAO etc.) into a single document to build capability within the rehabilitative care system to effectively & comprehensively address the functional goals of high-risk adults with restorative potential

# Compendium of Standardized Assessment & Interventions of Geriatric Syndromes for Rehabilitative Care Professionals



Geriatric Syndromes and Other Considerations	Acute Care	Bedded Levels of Rehabilitative Care	Long Term Complex Medical Management/ Long Term Care Homes	In-Home Rehabilitative Care	Outpatient/ Ambulatory Rehabilitative Care	Community Based Rehabilitative Care
Delirium						
Cognitive impairment						
Polypharmacy						
Falls/Mobility						
Depression						
Incontinence						
Nutrition status						
Pain management						
Pressure ulcers						
Frailty						
ADLs/IADLs						